

Vogl Double Layer Fleece



On One Level
in Spite of Differences

The multitalent for your acoustic design ceiling

Evenness easier than ever

This is what drywall construction has waited for: Evenness between perforated and smooth gypsum boards used to be achieved by tedious spackling.

It required a tremendous effort to equalize the small difference in height caused by the fleece laminated on the back of the perforated panels.

The idea for achieving evenness in record time is brilliantly simple: VoglDouble Layer Fleece, which is self-adhesive and comes on rolls, ready for use, makes the levelling of height differences easier than ever.

Brilliantly simple realisation of shadow gaps in contrasting colour for the perfectly designed ceiling. Optically appealing design of expansion joints by backing them in black or white.

Benefits of the VoglDouble Layer Fleece system:

- Faster and more economical installation due to self-adhesive rolled material
- Tedious, time-consuming spackling is now a thing of the past
- Practical helper for many transition and connection issues
- Homogeneous material for perfect connection to fleece-laminated perforated panels
- Available in various tape widths for single or double application
- Available in white or black fleece colour



Expansion joints

For the coloured design of expansion joints in the ceiling.

Your advantages when using VoglDouble Layer Fleece:



- Clean workmanship (no need to use a brush)
- Available in black or white
- Tape on rolls is applied quickly and easily

Panel connections

Flush panel connections between perforated panels and smooth plasterboards.

Your advantages when using VoglDouble Layer Fleece:

- Quick installation with self-adhesive roll material
- No filling work – connection between perforated panels and smooth plasterboards possible with VoglFriestape 20 mm
- Available in various tape widths
- Single-layer or multi-layer application possible (depending on height difference)



Wall connections

Perfect wall connections in various designs. Whether as filled joint or as wall connection with shadow gap.

Your advantages when using VoglDouble Layer Fleece:

- Functions as separating tape for a filled joint
- Colour of shadow gap available in white or black
- One product only for a variety of joint and connection applications

VoglDouble Layer Fleece		
Item number	Item description	Dimensions
90310000	VoglDouble Layer Fleece VAD 32 black Self-adhesive fleece, black	Roll width 32 mm Roll length 200 m
90320000	VoglDouble Layer Fleece VAD 62 black Self-adhesive fleece, black	Roll width 62 mm Roll length 200 m
90311000	VoglDouble Layer Fleece VAD 32 white Self-adhesive fleece, white	Roll width 32 mm Roll length 200 m
90321000	VoglDouble Layer Fleece VAD 62 white Self-adhesive fleece, white	Roll width 62 mm Roll length 200 m

Extra: Non-perforated frieze area, frieze areas w= _____ mm of smooth plasterboards.

Create frieze areas of smooth plasterboards, th=12.5 mm, transition from frieze area to perforated panel ceiling made with VoglDouble Layer Fleece (height compensation) and VoglFriestape 20 mm. Installation in accordance with manufacturer's instructions.

Extra: Expansion joint for ceiling structure.

Integrate expansion joints in aforementioned ceiling system. In this area, separate framework completely from the rest. Back expansion joint with a strip of plasterboard coloured with VoglDouble Layer Fleece in black*/white*. Screw down backing strip of plasterboard on one side only. Width of joint >5 mm. Insert edge protection profile, if required.

Extra: Wall connection, with coloured shadow gap.

Wall connection by means of a shadow gap (approx. 15 - 20 mm), coloured in black*/white* using VoglDouble Layer Fleece in accordance with manufacturer's instructions.

Extra: Wall connection, with filled joint.

Wall connection by means of filled joint using VoglDouble Layer Fleece as separating tape in accordance with manufacturer's instructions.

* Delete as applicable

